## Message

From: Berkoff, Michael [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F347C01A92D7424FA840C24F6B7FBF6B-MBERKOFF]

Sent: 8/4/2016 6:52:53 PM

To: Jeff.Keiser@CH2M.com

Subject: RE: ROD Modified RA Section

That's fine. We don't need to add it.

**From:** Jeff.Keiser@CH2M.com [mailto:Jeff.Keiser@CH2M.com]

Sent: Thursday, August 04, 2016 1:43 PM

To: Berkoff, Michael <br/> <br/> berkoff.michael@epa.gov>

Subject: RE: ROD Modified RA Section

I looked through the River Eco and HHRAs. I didn't find a table that would provide comparable information.

JK

Jeff Keiser Senior Project Manager D 1 414 847 0382 M 1 414 467 4893 E www.ikeiser@ch2m.com

CH2M 135 S 84<sup>th</sup> Street, Suite 400 Milwaukee, WI 53214

From: Berkoff, Michael [mailto:berkoff.michael@epa.gov]

**Sent:** Thursday, August 04, 2016 12:54 PM **To:** Keiser, Jeff/MKE < <u>Jeff.Keiser@CH2M.com</u>> **Subject:** RE: ROD Modified RA Section [EXTERNAL]

Thanks Jeff. Reading through it now. Very good edits. For the bar chart, is it OU1 data only or all OUs?

From: Jeff.Keiser@CH2M.com [mailto:Jeff.Keiser@CH2M.com]

Sent: Thursday, August 04, 2016 8:38 AM

To: Berkoff, Michael <br/> <br/> berkoff.michael@epa.gov>

Subject: ROD Modified RA Section

Michael,

See if this is where you want to go with the writeup. I am looking at Figure 12 now.

Thanks JK

Jeff Keiser Senior Project Manager □ 1 414 847 0382 № 1 414 467 4893 E www.jkeiser@ch2m.com

CH2M 135 S 84th Street, Suite 400 Milwaukee, WI 53214